






EN Not included
DE Nicht enthalten
FR Non fourni
IT Non inclusa



REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

Part #	English	Deutsch	Français	Italiano
LOS235001	Cap Head Screws, M2 x 6mm (10)	Inbusschrauben M2 x 6mm (10)	Vis d'assemblage creuses M2 x 6mm (10)	Viti testa a brugola, M2 x 6mm (10)
LOS235003	Cap Head Screws M3 x 6mm (10)	Inbusschrauben M3 x 6mm (10)	Vis d'assemblage creuses M3 x 6mm (10)	Viti testa a brugola, M3 x 6mm (10)
LOS235009	Flat Head Screws M2.5 x 8mm (10)	Flachkopfschrauben M2,5 x 8mm (10)	Vis à tête plate M2.5 x 8mm (10)	Viti a testa piatta, M2.5 x 8mm (10)
LOS235011	Set Screws, M3 x 3mm Cup Point(10)	Stellschrauben M3 x 3mm Ringschneide (10)	Vis de fixation M3 x 3mm Bout cuvette (10)	Grani, M3 x 3mm, punta tonda (10)
LOS235024	Button Head Screws M3x25mm (10)	Rundkopfschraube, M3 x 25mm (10)	Vis à tête bombée M3 x 25mm (10)	Viti a testa tonda, M3 x 25mm (10)
LOS235025	Button Head Screws M3x30mm (10)	Rundkopfschraube, M3 x 30mm (10)	Vis à tête bombée M3 x 30mm (10)	Viti a testa tonda, M3 x 30mm (10)
LOS235027	Set Screws, M3 x 10mm Cup Point(10)	Stellschrauben M3 x 10mm Ringschneide (10)	Vis de fixation M3 x 10mm Bout cuvette (10)	Grani, M3 x 10mm, punta tonda (10)
LOSA6937	5x10x4mm Shielded Ball Bearing(2)	5 x 10mm abgedichtetes Kugellager (2)	Roulement à billes blindé 5 x 10mm (2)	Cuscinetti a sfera schermati 5 x 10mm (2)
LOSA6943	10X15x4mm Sealed Ball Bearing (2)	10 X 15mm Kugellager gekapselt (2)	22 - Roulements étanches 10 x15mm (2)	10 x 15mm Cuscinetti stagni (2)
LOSA6955	5x13x4mm HD Clutch Bearings (2):8B/8T	5 x 13 mm HD Kupplungslager (2): 8B, 8T	Roulements à embrayage ultra-résistants 5 x 13 mm (2) : 8B, 8T	Cuscinetti frizione HD 5 x 13mm (2): 8B, 8T
PRO273502	Fr Velocity 2.2 Hex Wheel, Yel: RB5, 12mm Hex B4.1	Fr Velocity 2.2 Sechskantaufnahme, Gelb: RB5, 12mm Sechskant B4.1	Roue hexagonale avant Velocity 2.2, jaune : RB5, hexagone 12 mm B4.1	Cerchio Velocity 2.2 ant., Giallo: RB5, esagono 12 mm B4.1
PRO273504	Fr Velocity 2.2 Hex Wheel, Wht:RB5, 12mm Hex B4.1	Fr Velocity 2.2 Sechskantaufnahme, Wht:RB5, 12mm Sechskant B4.1	Roue hexagonale avant Velocity 2.2, blanche : RB5, hexagone 12 mm B4.1	Cerchio Velocity 2.2 ant., Bianco: RB5, esagono 12 mm B4.1
PRO273602	R Velocity 2.2 Hex Whl, Yel: LOS22, 12mm Hex B4.1	R Velocity 2.2 Sechskantaufnahme, Gelb: LOS22, 12 mm Sechskant B4.1	Roue hexagonale arrière Velocity 2.2, jaune : LOS22, hexagone 12 mm B4.1	Cerchio Velocity 2.2 post., Giallo: LOS22, esagono 12 mm B4.1
PRO273604	R Velocity 2.2 Hex Whl, Wht: LOS22, 12mm Hex B4.1	R Velocity 2.2 Sechskantaufnahme, Weiß: LOS22, 12 mm Sechskant B4.1	Roue hexagonale Velocity 2.2 arrière, blanche : LOS22, hexagone 12 mm B4.1	Cerchio Velocity 2.2 post., Bianco: LOS22, esagono 12 mm B4.1
PRO367625	Sector Light Weight Clear Body for TLR 22X	Sector leichtes transparentes Gehäuse für TLR 22X	Carrosserie transparente légère Sector pour TLR 22X	Carrozzeria leggera trasparente Sector per TLR 22X
TLR-1075	Bulkhead, Kick Shims: 22X	Spritzwand, Unterlegscheiben: 22X	Cloison, cales de kick : 22X	Paratia, spessori di Kick: 22X
TLR-1076	Threaded Spring Collar, 13mm (2): 22X	Federteller mit Gewinde, 13 mm (2): 22X	Collier à ressort fileté, 13 mm (2) : 22X	Collare molla filettata, 13 mm (2): 22X
TLR-1077	Bellcranks, Connecting Link, Composite: 22X	Umlenkhebel, Verbindungsstück, Verbundwerkstoff: 22X	Leviers coudés, tringlerie de connexion, composite : 22X	Leve a squadra, Anello di congiunzione, Composito: 22X
TLR-1078	Rear Tower, Carbon, -2: 22X	Heckstoßdämpfer, Carbon -2: 22X	Tour arrière, carbone, -2 : 22X	Torre posteriore, Carbonio, -2: 22X
TLR-1079	Pivot, Bridge: 22X	Drehgelenk, Brücke: 22X	Pivot, pont : 22X	Pivot, Ponte: 22X
TLR-1081	Front Tower, Carbon, STD: 22X	Frontstoßdämpfer, Carbon, STD: 22X	Tour avant, carbone, standard : 22X	Torre anteriore, Carbonio, STD: 22X
TLR-1082	Seal & Hardware, Gear Diff: 22X	Dichtung und Hardware, Getriebe-Differential: 22X	Joint et matériel, engrenage différentiel : 22X	Tenuta e bulloneria, ingranaggio diff.: 22X
TLR-1084	Rear Arm Set, V2: 22X-4, 22X	Hinterarmset, V2: 22X-4, 22X	Ensemble de bras arrière, V2 : 22X-4, 22X	Set braccio posteriore, V2: 22X-4, 22X
TLR-1085	Steering Hardware Set: 22X	Hardwaresatz Lenkung: 22X	Ensemble de matériel de direction : 22X	Set bulloneria sterzo: 22X
TLR-1086	Spindle, Narrow: 22X	Spindel, schmal: 22X	Axe, étroit : 22X	Fusello, Stretto: 22X
TLR-1088	Front Tower, Carbon, +2: 22X	Frontstoßdämpfer, Carbon, +2: 22X	Tour avant, carbone, +2 : 22X	Torre anteriore, Carbonio, +2: 22X
TLR-1089	Steering Arm, A, Narrow: 22X	Lenkarm, A, schmal: 22X	Bras de direction, A, étroit : 22X	Braccio di sterzo, A, Stretto: 22X
TLR-1090	Fan, Low Ft Wing Mt, Front Sway Bar Mounts: 22X	Lüfter, niedrige Flügelhalterung vorne, vordere Schwingenhalterungen: 22X	Soufflante, support d'aile avant basse, supports de barres stabilisatrices avant : 22X	Ventola, Supp. alettone ant. basso, Supp. barra torsione ant.: 22X
TLR-1092	Electronics Tray, Carbon: 22X	Halterung für Elektronik, Carbon: 22X	Plateau électronique, carbone : 22X	Vassoio elettronica, Carbonio: 22X
TLR-1094	Front Arm Set, Stiffezel: 22X	Vorderarmsatz, Stiffezel: 22X	Bras avant, Stiffezel : 22X	Set braccio anteriore Stiffezel: 22X
TLR-1095	Shock Cap, Bottom, 13mm (2): 22X	Stoßdämpferkappe, unten, 13mm (2): 22X	Capuchons d'amortisseurs bas 13 mm (2) : 22X	Tappo amm., inferiore, 13 mm (2): 22X

REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

Part #	English	Deutsch	Français	Italiano
TLR-1096	Caster Block Insert Set: 22X	Radblock Einbau-Set: 22X	Ensemble d'inserts, bloc de roulettes : 22X	Set inserti blocco caster: 22X
TLR-1097	Battery Mount Set: 22X	22X Akkuhalterset	22X - Support batterie	Set supporto batteria: 22X
TLR-1098	Caster Block, Narrow: 22X	Radblock, schmal: 22X	Bloc de rondelle, étroit : 22X	Blocco caster, Stretto: 22X
TLR-1099	Rear Tower, Carbon, +2: 22X	Heckstoßdämpfer, Carbon +2: 22X	Tour arrière, carbone, +2 : 22X	Torre posteriore, Carbonio, +2: 22X
TLR-1100	Diff Gear, Cover, Gear Diff, 52T: 22X	Differential, Fahrwerkabdeckung, Getr. Diff. 52T: 22X	Cache, engrenage différentiel, 52T : 22X	Ingr. diff, coperchio, 52T: 22X
TLR-1102	Rod End Set, 5.8mm: 22X	Stangenkopfsatz 5,8mm: 22X	Ensemble embout de bielle 5,8 mm : 22X	Set teste a snodo 5,8 mm: 22X
TLR-1104	Shock Tower Guards, Up Wing Mt, Spur Shield: 22X	Schutz Stoßdämpferbrücke, Flügelhalterung oben, Stirnradschutz: 22X	Protection de tour d'amortisseur, support d'aile supérieure, blindage : 22X	Schermi torre amm., Supp. alettone sup., Schermo riduttore: 22X
TLR-1105	CVA Driveshaft Bones, X66mm: 22X (2)	CVA-Antriebsknochen, 66 mm (2): 22X	Os de l'arbre de transmission (66 mm) (2): 22X	Dogbone albero di trasmissione CVA, 66 mm (2): 22X
TLR-1106	Gearbox Set, Rear Sway Bar Mount, Idler Shaft: 22X	Getriebebesatz, Halterung Heck-Schwinge, Zwischenradwelle: 22X	Ensemble boîte à engrenage, support de barres stabilisatrices arrière, arbre intermédiaire : 22X	Set ingr., Supp. barra torsione post., Albero folle: 22X
TLR-1107	VHA Rebuild Set, V2 (2): 22X	VHA-Umbausatz, V2 (2): 22X	Ensemble de reconstruction VHA, V2 (2) : 22X	Kit ricostruzione VHA, V2 (2): 22X
TLR-1108	Wing Mount Set, Front Bumper: 22X	Flügelhalterungsatz, Frontstoßstange: 22X	Ensemble support d'aile, pare-chocs avant : 22X	Set supporto alettone, Paraurti anteriore: 22X
TLR-1109	Diff Gear, 52T: 22X	TLR Diff-Zahnrad 52Z: 22X	22X - Couronne de diff 52T	Ingranaggio differenziale, 52T: 22X
TLR-1110	Shock Shaft, 3mm x 42.7mm, TiNi, G3 (1)	Kolbenstange, 42,7 mm, TiCN, G3 3,5 (1)	Bras d'amortisseur, 42,7 mm, TiCN, G3 3,5 (1)	Albero ammortizzatore, 42,7 mm, TiCN, G3 3,5 (1)
TLR-1111	Motor Plate, Aluminum: 22X	Motorplatte, Aluminium: 22X	Plaque châssis, aluminium : 22X	Piastra motore, Alluminio: 22X
TLR-1112	Sway Bar Link Set: 22X	Schwingenverbindungs-Set: 22X	Ensemble tringlerie de barre stabilisatrice : 22X	Set leveraggi barra antirollio: 22X
TLR-1113	Waterfall Brace, Standard: 22X	Kaskaden-Klammer, Standard: 22X	Support Waterfall, standard : 22X	Rinforzo Waterfall, Standard: 22X
TLR-1114	HD Turnbuckle Kit: 22X	HD-Spannschrauben-Satz: 22X	Kit de ridoir, ultra-résistant : 22X	Kit tenditore HD: 22X
TLR-1115	Caster Block, Wide: 22X	Radblock, breit: 22X	Bloc de rondelle, large : 22X	Blocco caster, Largo: 22X
TLR-1116	Side Guard Set, Standard: 22X	Seitenschutzset, Standard: 22X	Ensemble protections latérales, standard : 22X	Set protezioni laterali, Standard: 22X
TLR-1117	Shock Cap, Composite (2): 22X	Stoßdämpferkappe, Komposit, G3 (4): 22X	Capuchon d'amortisseur, composite, G3 (4): 22X	Tappo ammortizzatore, composito, G3 (4): 22X
TLR-1118	Steering Arm, A, Wide: 22X	Lenkarm, A, breit: 22X	Bras de direction, A, large : 22X	Braccio di sterzo, A, Largo: 22X
TLR-1119	Spring Cups, Shock Ends, 13mm: 22X	Federteller, Stoßdämpferenden, 13mm: 22X	Coupelles de ressorts, extrémités d'amortisseurs, 13 mm : 22X	Scodellini molle, Terminali amm., 13 mm: 22X
TLR-1120	Idler Gear (2): 22X	Zwischenrad (2): 22X	Pignons intermédiaires (2) : 22X	Ingranaggio folle (2): 22X
TLR-1122	Side Guard Set, Soft: 22X	Seitenschutzset, weich: 22X	Ensemble protections latérales, doux : 22X	Set protezioni laterali, Morbide: 22X
TLR-1125	Front Tower, Carbon, -2: 22X	Frontstoßdämpfer, Carbon, -2: 22X	Tour avant, carbone, -2 : 22X	Torre anteriore, Carbonio, -2: 22X
TLR-1126	Spindle, Wide: 22X	Spindel, breit: 22X	Axe, large : 22X	Fusello, Largo: 22X
TLR-1127	Rear Tower, Carbon, STD: 22X	Heckstoßdämpfer, Carbon, STD: 22X	Tour arrière, carbone, standard : 22X	Torre posteriore, Carbonio, STD: 22X
TLR-1128	Waterfall Brace, Stiffzel: 22X	Kaskaden-Klammer, Stiffzel: 22X	Support Waterfall, Stiffzel : 22X	Rinforzo Waterfall, Stiffzel: 22X
TLR-1129	Shock Shaft, 3mm x 48.7mm, TiNi, G3 (1)	Kolbenstange, 3 mm x 48,7 mm, TiCN, G3 (1)	Bras d'amortisseur, 3 mm x 48,7 mm, TiCN, G3 (1)	Albero ammortizzatore, 3 mm x 48,7 mm, TiCN, G3 (1)
TLR-1131	Slipper Spring Set: 22X	Gleiterfedersatz: 22X	Ensemble ressort sabot : 22X	Set molle antisaltellamento: 22X

REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

Part #	English	Deutsch	Français	Italiano
TLR-1132	Camber Mount, Caster Block, C: 22X	Sturzhalterung, Radblock, C: 22X	Support de carrossage, bloc de rondelle, C : 22X	Supporto camber, Blocco caster, C: 22X
TLR-1134	Ball Stud, 5.8mm x 6mm (4): 22X	Kugelpfopf mit Gewinde 5,8 x 6mm (4): 22X	Rotules à visser 5,8 x 6mm (4): 22X	Perno sferico, 5,8 x 6mm (4): 22X
TLR-1135	13mm Shock Piston, Blank, 2.5mm (2)	13 mm Stoßdämpferkolben, leer, 2,5 mm (2)	Pistons d'amortisseur 13 mm, vierges, 2,5 mm (2)	Pistone amm. 13 mm, grezzo, 2,5 mm (2)
TLR-1138	Camber Block, Rear: 22X	Sturzblock, Heck: 22X	Cale de carrossage, arrière : 22X	Blocco camber, Posteriore: 22X
TLR-1139	Electronics Tray, Steel: 22X	Halterung für Elektronik, Stahl: 22X	Plateau électronique, acier : 22X	Vassoio elettronica, Acciaio: 22X
TLR-1140	Layshaft, Aluminum: 22X	Zwischenwelle, Aluminium: 22X	Arbre intermédiaire, aluminium, : 22X Sabot hautement résistant	Albero secondario, alluminio, : 22X
TLR-1141	13mm Shock Piston, Blank, 2mm (2)	13 mm Stoßdämpferkolben, leer, 2 mm (2)	Pistons d'amortisseur 13 mm, vierges, 2 mm (2)	Pistone amm. 13 mm, grezzo, 2 mm (2)
TLR-1142	VHA Rear Axle, A/C: 22X	VHA Hinterachse, A/C: 22X	Essieu arrière VHA, A/C : 22X	Assale posteriore VHA, A/C: 22X
TLR-1143	13mm Shock Piston, 2 x 1.8mm, 2mm (2)	13mm Stoßdämpferkolben, 2 x 1,8 mm, 2 mm (2)	Pistons amortisseurs 13 mm, 2 x 1,8 mm, 2 mm (2)	Pistone amm. 13 mm, 2x1,8 mm, 2 mm (2)
TLR-1145	13mm Shock Piston, 2 x 2.0mm, 2mm (2)	13mm Stoßdämpferkolben, 2 x 2,0 mm, 2 mm (2)	Pistons amortisseurs 13 mm, 2 x 2,0 mm, 2 mm (2)	Pistone amm. 13 mm, 2x2,0 mm, 2 mm (2)
TLR-1147	Slipper Shaft, Steel: 22X	Gleiterwelle, Stahl: 22X	Arbre de sabot, acier : 22X	Albero antisaltellamento, Acciaio: 22X
TLR-1148	Camber Mount, Caster Block, A: 22X	Sturzhalterung, Radblock, A: 22X	Support de carrossage, bloc de rondelle, A : 22X	Supporto camber, Blocco caster, A: 22X
TLR-1149	Shock Bushing, Upper (2): 22X	Stoßdämpferbuchse, oben (2): 22X	Bagues d'amortisseurs, supérieures (2) : 22X	Boccola amm., Superiore (2): 22X
TLR-1150	D Pivot Block, Aluminum: 22X	D-Zapfenlager, Aluminium, schwarz: 22X	Bloc pivot D, aluminium, noir : 22X	Blocco girevole D, alluminio, nero: 22X
TLR-1151	Ball Stud, 5.8mm x 12mm (4): 22X	Kugelpfopf mit Gewinde 5.8 x 12mm (4): 22X	Rotules à visser 5,8 x 12mm (4): 22X	Perno sferico, 5,8 x 12mm (4): 22X
TLR-1153	Outdrive Set, Gear Diff (2): 22X	Abtrieb Differential: 22X	22X - Noix de sortie, pignon de différentiel	Trascinatori, ingran. differenziale (4): 22X
TLR-1154	Flathead Screw, M2 x 4mm (10)	Flachkopfschrauben, M2 x 4mm (10)	Vis à tête fraisée M2 x 4mm (10)	Vite a testa piatta, M2 x 4mm (10)
TLR-1155	13mm Shock Piston, 2 x 1.9mm, 2mm (2)	13mm Stoßdämpferkolben, 2 x 1,9mm, 2 mm (2)	Pistons amortisseurs 13 mm, 2 x 1,9 mm, 2 mm (2)	Pistone amm. 13 mm, 2x1,9 mm, 2 mm (2)
TLR-1156	Front Axle, Aluminum (2): 22X	Vorderachse, Aluminium (2): 22X	Essieux avant, aluminium (2) : 22X	Assale anteriore, Alluminio (2): 22X
TLR-1157	Slipper Plates: 22X	Gleiterplatten: 22X	Plaques de sabot : 22X	Piastra antisaltellamento: 22X
TLR-1160	Hinge Pin Set: 22X	Scharnierbolzen Satz: 22X	Ensemble de goupilles de charnière : 22X	Set perno articolazione: 22X
TLR-1163	Chassis, 2mm, +3mm: 22X	Fahrwerk, 2mm, +3mm: 22X	Châssis, 2 mm, +3 mm : 22X	Telaio, 2 mm, +3 mm: 22X
TLR-1164	Chassis, 2mm, -3mm: 22X	Fahrwerk, 2mm, -3mm: 22X	Châssis, 2 mm, -3 mm : 22X	Telaio, 2 mm, -3 mm: 22X
TLR-1165	C Pivot Block, Aluminum: 22X	C-Zapfenlager, Aluminium: 22X	Bloc pivot C, aluminium : 22X	Blocco pivot C, Alluminio: 22X
TLR-1166	13mm Shock Body, 36.5mm, G3, 3mm (1)	13 mm Stoßdämpfergehäuse, 36,5 mm, G3 3 mm (1)	Corps d'amortisseur 13 mm, 36,5 mm, G3, 3 mm (1)	Corpo amm. 13 mm, 36,5 mm, G3 3 mm (1)
TLR-1170	13mm Shock Piston, 2 x 1.7mm, 2mm (2)	13mm Stoßdämpferkolben, 2 x 1,7mm, 2mm (2)	Pistons amortisseurs 13 mm, 2 x 1,7 mm, 2 mm (2)	Pistone amm. 13 mm, 2x1,7 mm, 2 mm (2)
TLR-1171	Shock Seal Bushings, Machined, Split, G3 3mm (4)	Stoßdämpferbuchsen, gefräst, G3 3 mm (4)	Bagues de joints d'amortisseurs, partagées, G3, 3 mm (4)	Boccole tenuta amm., Lavorate, Sdoppiate, G3 3 mm (4)
TLR-1173	Chassis, 2mm, STD: 22X	Fahrwerk, 2mm, STD: 22X	Châssis, 2 mm, standard : 22X	Telaio, 2 mm, STD: 22X
TLR-1174	13mm Shock Body, 42.0mm, G3, 3mm (1)	13 mm Stoßdämpfergehäuse, 42,0 mm, G3 3 mm (1)	Corps d'amortisseur 13 mm, 42,0 mm, G3, 3 mm (1)	Corpo amm. 13 mm, 42,0 mm, G3 3 mm (1)
TLR-1178	Camber Mount, Caster Block, B: 22X	Sturzhalterung, Radblock, B: 22X	Support de carrossage, bloc de rondelle, B : 22X	Supporto camber, Blocco caster, B: 22X
TLR-1179	Shock Standoff, Arm (2): 22X	Stoßdämpfer-Standoff, Arm (2): 22X	Dispositifs d'espacement d'amortisseur, bras (2) : 22X	Distanziale amm., Braccio (2): 22X

REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

Part #	English	Deutsch	Français	Italiano
TLR-1180	Ball Stud, 5.8mm x 8mm (4): 22X	Kugelkopf mit Gewinde 5.8 x 8mm (4): 22X	Rotules à visser 5,8 x 8mm (4): 22X	Perno sferico, 5.8 x 8mm (4): 22X
TLR-1188	Rear Springs, Yellow, 2.10lb, 13mm (2)	Gelbe Heckfedern, 2,10lb, 13mm (2)	Ressorts arrière, jaunes, 2,10 lb, 13 mm (2)	Molle posteriori, Giallo, 2.10 lb, 13 mm (2)
TLR-1189	Rear Springs, Orange, 1.98lb, 13mm (2)	Orange Heckfedern, 1,98lb, 13mm (2)	Ressorts arrière, orange, 1,98 lb, 13 mm (2)	Molle posteriori, Arancione, 1.98 lb, 13 mm (2)
TLR-1190	Rear Springs, Green, 2.22lb, 13mm (2)	Grüne Heckfedern, 2,22lb, 13mm (2)	Ressorts arrière, verts, 2,22 lb, 13 mm (2)	Molle posteriori, Verde, 2.22 lb, 13 mm (2)
TLR-1191	Rear Springs, Blue, 2.37lb, 13mm (2)	Blaue Heckfedern, 2,37lb, 13mm (2)	Ressorts arrière, bleus, 2,37 lb, 13 mm (2)	Molle posteriori, Blu, 2.37 lb, 13 mm (2)
TLR-1192	Sticker Sheet: 22X	Stickerbogen: 22X	Autocollants : 22X	Foglio di adesivi: 22X
TLR-1193	Front Sway Bar Set, Odds: 22X	Heck-Schwingensatz, Ungerade: 22X	Ensemble de barres stabilisatrices avant, Odds : 22X	Set barra antirollio anteriore, Pari: 22X
TLR-1194	Front Sway Bar Set, Evens: 22X	Heck-Schwingensatz, Gerade: 22X	Ensemble de barres stabilisatrices avant, Evens : 22X	Set barra antirollio anteriore, Dispari: 22X
TLR-1199	Front Springs, Red, 3.56lb, 13mm (2)	Rote Frontfedern, 3,56lb, 13mm (2)	Ressorts avant, rouges, 3,56 lb, 13 mm (2)	Molle anteriori, Rosso, 3.56 lb, 13 mm (2)
TLR-1200	Front Springs, Brown, 3.39lb, 13mm (2)	Braune Frontfedern, 3,39lb, 13mm (2)	Ressorts avant, marron, 3,39 lb, 13 mm (2)	Molle anteriori, Marrone, 3.39 lb, 13 mm (2)
TLR-1202	Rear Springs, Red, 1.87lb, 13mm (2)	Rote Heckfedern, 1,87lb, 13mm (2)	Ressorts arrière, rouges, 1,87 lb, 13 mm (2)	Molle posteriori, Rosso, 1.87 lb, 13 mm (2)
TLR-1203	Front Springs, Purple, 4.75lb, 13mm (2)	Violette Frontfedern, 4,75lb, 13mm (2)	Ressorts avant, violets, 4,75 lb, 13 mm (2)	Molle anteriori, Viola, 4.75 lb, 13 mm (2)
TLR-1204	Front Springs, Yellow, 3.95lb, 13mm (2)	Gelbe Frontfedern, 3,95lb, 13mm (2)	Ressorts avant, jaunes, 3,95 lb, 13 mm (2)	Molle anteriori, Giallo, 3.95 lb, 13 mm (2)
TLR-1205	Front Springs, Orange, 3.75lb, 13mm (2)	Orange Frontfedern, 3,75lb, 13mm (2)	Ressorts avant, orange, 3,75 lb, 13 mm (2)	Molle anteriori, Arancione, 3.75 lb, 13 mm (2)
TLR-1206	Front Springs, Blue, 4.45lb, 13mm (2)	Blaue Frontfedern, 4,45lb, 13mm (2)	Ressorts avant, bleus, 4,45 lb, 13 mm (2)	Molle anteriori, Blu, 4.45 lb, 13 mm (2)
TLR-1207	Front Springs, Green, 4.19lb, 13mm (2)	Grüne Frontfedern, 4,19lb, 13mm (2)	Ressorts avant, verts, 4,19 lb, 13 mm (2)	Molle anteriori, Verde, 4.19 lb, 13 mm (2)
TLR-1208	Rear Springs, Purple, 2.54lb, 13mm (2)	Violette Heckfedern, 2,54lb, 13mm (2)	Ressorts arrière, violets, 2,54 lb, 13 mm (2)	Molle posteriori, Viola, 2.54 lb, 13 mm (2)
TLR-1209	Button Head Screw, M3 x 22mm (10)	Rundkopfschrauben, M3 x 22mm (10)	Vis à tête bombée, M3 x 22mm (10)	Viti a testa tonda, M3 x 22mm (10)
TLR-1211	Rear Sway Bar Set, Odds: 22X	Heck Schwingen-Satz, Ungerade: 22X	Ensemble de barres stabilisatrices arrière, Odds : 22X	Set barra antirollio posteriore, Dispari: 22X
TLR-1212	Rear Sway Bar Set, Evens: 22X	Heck Schwingen-Satz, Gerade: 22X	Ensemble de barres stabilisatrices arrière, Evens : 22X	Set barra antirollio posteriore, Pari: 22X
TLR230003	Hook and Loop Body Mounting, 10 x 20mm: (8)	Klettband 10 x20mm (8)	Bandes auto-agrippantes pour fixation de carrosserie, 10x20mm (8)	Attacco a strappo per montaggio carrozzeria, 10 x 20mm: (8)
TLR232074	69T Spur Gear, SHDS, 48P	Stirnrad 69T, SHDS, 48P	Engrenage cylindrique 69T, (SHDS, Sabot hautement résistant), 48P	Corona stampata 69T, SHDS, 48P
TLR232075	72T Spur Gear, SHDS, 48P	Stirnrad 72T, SHDS, 48P	Engrenage cylindrique 72T, (SHDS, Sabot hautement résistant), 48P	Corona stampata 72T, SHDS, 48P
TLR232076	75T Spur Gear, SHDS, 48P	Stirnrad 75T, SHDS, 48P	Engrenage cylindrique 75T, (SHDS, Sabot hautement résistant), 48P	Corona stampata 75T, SHDS, 48P
TLR232077	78T Spur Gear, SHDS, 48P	Stirnrad 78T, SHDS, 48P	Engrenage cylindrique 78T, (SHDS, Sabot hautement résistant), 48P	Corona stampata 78T, SHDS, 48P
TLR232078	81T Spur Gear, SHDS, 48P	Stirnrad 81T, SHDS, 48P	Engrenage cylindrique 81T, (SHDS, Sabot hautement résistant), 48P	Corona stampata 81T, SHDS, 48P
TLR232080	Slipper Pads, Max Drive, SHDS (2)	Gleitkissen, max. Antrieb, SHDS (2)	Sabots de pistons, entraînement max., SHDS, Sabot hautement résistant (2)	Tamponi pattini, trasmissione max, SHDS (2)
TLR232086	Diff Screw, Nut & Spring: 22	Diff. Schraube, Mutter & Feder: 22	Vis du différentiel, écrou et ressort : 22	Vite, dado e molla diff.: 22
TLR232087	Tungsten Carbide Thrust Balls & Washers: 22	Schubkugeln & Unterlegscheiben, Wolframkarbid: 22	Billes et rondelles Thrust en carbure de tungstène : 22	Sfere di spinta e rondelle in carburo di tungsteno: 22
TLR232102	CVA Driveshaft Bones, X67mm (2): 22X	CVA-Antriebsknochen, 67 mm: 22X	Os de l'arbre de transmission (67 mm) : 22X	Dogbone albero di trasmissione CVA, 67 mm: 22X
TLR232103	CVA Driveshaft Bones, X68mm (2): 22X	CVA-Antriebsknochen, 68 mm (2): 22X	Os de l'arbre de transmission 68 mm (2): 22X	Dogbone albero di trasmissione CVA, 68 mm (2): 22X

REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

Part #	English	Deutsch	Français	Italiano
TLR232112	Wheel Hex, 12mm x 4.5mm (2)	Sechskantrad, 12 mm x 4,5 mm (2)	Hexagones de roues, 12 mm x 4,5 mm (2)	Esagoni ruote, 12 mm x 4,5 mm (2)
TLR232129	Diff Gear & Cross Pin Set, Metal: 22X-4	Differentialgetriebe und Querstiftesatz, Metall: 22X-4	Engrenage différentiel et ensemble de tige transversale, métal : 22X-4	Ingr. diff. e perno a croce, metallo: 22X-4
TLR233043	Shock Hardware, G3 (4)	Stoßdämpfer-Hardware, G3 (4)	Matériel d'amortisseur, G3 (4)	Bulloneria ammortizzatore, G3 (4)
TLR233060	Seal Set, X-Rings, G3 3mm V2 (4 shocks)	Dichtungssatz, X-Ringe, G3 V2 (4 Stoßdämpfer)	Ensemble de joints, toriques, G3 V2 (4 amortisseurs)	Set tenute, anelli a X, G3 V2 (4 ammortizzatori)
TLR234105	Front Camber Block Inserts: 22 5.0	Vordere Radsturzblock-Einsätze: 22 5.0	Inserts de cale de carrossage avant, Stiffezel : 22 5.0	Inserti blocco camberaggio anteriore: 22 5.0
TLR234117	Spindle Bushing Set, Aluminum (8): 22X-4	Spindelwellensatz, Aluminium (8): 22X-4	Ensemble de bague d'arbre, aluminium (8) : 22X-4	Kit boccole fusello, alluminio (8): 22X-4
TLR234132	Insert Set, Adjustable Pivot, V2: 22	Einsatz-Set, anpassbarer Drehpunkt, V2: 22	Ensemble d'inserts, pivot ajustable, V2 : 22	Set inserti, Pivot regolabile, V2: 22
TLR235007	Flat Head Screws, M2.5 x 10mm (10)	Rundkopfschrauben, M2,5 x 10 mm (10)	Vis à tête plate, M2,5 x 10 mm (10)	Viti a testa piatta, M2,5 x 10 mm (10)
TLR235010	Screw, G3 Shock Cup (8)	Schraube, G3 Stoßdämpfer-Teller (8)	Vis, coupelle d'amortisseur G3 (8)	Vite, coppa ammortizzatore G3 (8)
TLR236006	10 x 14mm Shims, 0.1 & 0.2mm (5ea.)	Distanzscheiben 10x14 mm, 0,1 und 0,2 mm (je 5)	Set de cales 10x14mm, 0.1 et 0.2mm (5 pce)	Spessori 10x14 mm, 0,1 e 0,2 mm (5 cad.)
TLR237000	5x8x2.5mm Bearings (2)	5 x 8 x 2.5mm Lager (2)	Roulements 5 x 8 x 2.5mm (2)	5 x 8 x 2.5mm cuscinetti (2)
TLR245012	Button Head Screws, M2.5x4mm (10)	Rundkopfschrauben, M2,5 x 4mm (10)	Vis à tête bombée, M2,5 x 4mm (10)	Viti a testa tonda, M2,5 x 4mm (10)
TLR245016	M3 Flanged Lock Nuts (10)	M3 Sicherungsmuttern mit Flansch (10)	Contre-écrous à collet M3 (10)	Dadi autobloccanti flangiati M3 (10)
TLR2951	Tungsten Carbide Diff Balls, 3/32 (14) 22/22T	Tungsten Carbide Kugel 3/32 (14)	Bille de différentiel en carbure de tungstène, 3/32 (14)	Sfere diff. al carburo di tungsteno, 3/32 (14)
TLR2952	Silicone Diff Grease, 8cc: 22	Differentialfett/8cc	Graisse silicone pour diff, 8cc	Grasso silicone diff., 8cc: 22
TLR2954	Drive Rings (2): 22	Gleitringe Diff	Plateau de différentiel (2)	Anelli trasmissione (2)
TLR2955	Outdrive Set: 22	Antriebsklauen Set	Noix de sortie de diff	Set trascinatore
TLR331033	Clamping Servo Horn, Aluminum, 25T: 22 5.0	Klemm-Servohorn, Aluminium, 25T: 22 5.0	Renvoi de commande du servo de serrage, aluminium, 25T : 22 5.0	Squadretta servo di bloccaggio, alluminio, 25T: 22 5.0
TLR332073	VHA Rear Axle, Buggy (2): 22 5.0	VHA Hinterachse, Buggy (2): 22 5.0	Essieu arrière VHA, Buggy (2) : 22 5.0	Assale posteriore VHA, buggy (2): 22 5.0
TLR334073	VHA Hub Set, Composite: 22 5.0	VHA Spurstangenhaltung, schwarz: 22 5.0	Support carrosserie VHA, noir : 22 5.0	Supporto braccetto camber VHA, nero: 22 5.0
TLR334074	VHA Camber Link Mount, Black: 22 5.0	VHA Nabensatz, Verbundstoff: 22 5.0	Ensemble de moyeux VHA, composite : 22 5.0	Set mozzo VHA, composito: 22 5.0
TLR334076	VHA Hinge Pin Insert Set: 22 5.0	VHA-Scharnierstifteinsatz-Satz: 22 5.0	Ensemble d'inserts de goupilles de charnière VHA : 22 5.0	Kit inserti perno di articolazione VHA: 22 5.0
TLR336000	4mm Aluminum Serrated Lock Nuts, Black (6)	4mm Aluminium Stopmutter mit Flanch Schwarz 6St.	Ecrou auto-freiné épaulé M4, aluminium, noir (6)	Dado autobloccante seghettato 4mm, nero (6)
TLR336007	M3 x 6.5mm Aluminum Washer Set, Black (4ea)	M3 Radblock, Unterlegscheiben-Satz, Aluminium, schwarz (je 4)	Ensemble de rondelles en aluminium pour bloc de roulettes M3, noir (4ea)	Set rondella alluminio blocco ghisa M3, nero (4ea)
TLR5901	Button Head Screws, M3 x 6mm (10)	Rundkopfschraube, M3 x 6mm (10)	Vis à tête bombée M3 x 6mm (10)	Viti testa tonda, M3 x 6mm (10)
TLR5902	Button Head Screws, M3 x 8mm (10)	Rundkopfschraube, M3 x 8mm (10)	Vis à tête bombée M3 x 8mm (10)	Viti testa tonda, M3 x 8mm (10)
TLR5903	Button Head Screws, M3 x 10mm (10)	Rundkopfschraube, M3 x 10mm (10)	Vis à tête bombée M3 x 10mm (10)	Viti testa tonda, M3 x 10mm (10)
TLR5904	Button Head Screws, M3 x 12mm (10)	Rundkopfschraube, M3 x 12mm (10)	Vis à tête bombée M3 x 12mm (10)	Viti testa tonda, M3 x 12mm (10)
TLR5909	Button Head Screws, M3 x 16mm (10)	TLR Rundkopfschraube, M3 x 16mm (10)	Vis à tête bombée M3 x 16mm (10)	Viti testa tonda, M3 x 16mm (10)
TLR5910	Button Head Screws, M3 x 14mm (10)	Rundkopfschrauben M3 x 14mm (10)	Vis à tête bombée M3x14mm (10)	Viti a testa tonda, M3 x 14mm (10)
TLR5961	Flathead Screws, M3 x 8mm (10)	Flachkopfschrauben, M3 x 8mm (10)	Vis à tête fraisée M3 x 8mm (10)	Vite a testa piatta, M3 x 8mm (10)

REPLACEMENT PARTS • ERSATZTEILE • PIÈCES DE RECHANGE • PEZZI DI RICAMBIO

Part #	English	Deutsch	Français	Italiano
TLR5962	Flathead Screws, M3 x 10mm (10)	Flachkopfschrauben, M3 x 10mm (10)	Vis à tête fraisée M3 x 10mm (10)	Vite a testa piatta, M3 x 10mm (10)
TLR5963	Flathead Screw, M3 x 12mm (10)	Flachkopfschrauben, M3 x 12mm (10)	Vis à tête fraisée M3 x 12mm (10)	Vite a testa piatta, M3 x 12mm (10)
TLR5964	Flathead Screw, M3 x 16mm (10)	Flachkopfschrauben, M3 x 16mm (10)	Vis à tête fraisée M3 x 16mm (10)	Vite a testa piatta, M3 x 16mm (10)
TLR5965	Flathead Screw, M3 x 20mm (10)	Flachkopfschrauben, M3 x 20mm (10)	Vis à tête fraisée M3 x 20mm (10)	Vite a testa piatta, M3 x 20mm (10)
TLR6289	Set Screw, M3 x 5mm (10)	Schraubenset, M3 x 5mm (10)	Vis sans tête, M3 x 5mm (10)	Grano, M3 x 5mm (10)
TLR6313	Locknut, M3 x .5 x 5.5mm (10)	TLR Mutter selbstsichernd M3 x .5 x 5.5mm (10)	Ecrou M3 x 0,5 x 5,5mm (10)	Dado autobloccante, M3 x .5 x 5.5mm (10)
TLR6352	Washers, M3 (10)	U-Scheibe, M3 (10)	Rondelles M3 (10)	Rodelle, M3 (10)
TLR72003	Shock Tools, Composite: All 22	Stoßdämpferwerkzeuge, Komposit: Alle 22	Outils pour amortis-seurs, composite: Tout 22	Attrezzi ammortizzatori, composito: Tutte le 22
TLR77000	High-Pressure Black Grease, 8cc	High-Pressure Fett Schwarz/8cc	Graisse noire haute pression, 8cc	Grasso nero alta pressione, 8cc

OPTIONAL PARTS • OPTIONALE TEILE • PIÈCES OPTIONNELLES • PARTI OPZIONALI

Part #	English	Deutsch	Français	Italiano
SPMXCA316	Adapter: IC3 Battery / 5mm Bullet 2' Smart 2S	Adapter: IC3 Akku / 5mm Bullet 2' Smart 2S	Adaptateur : batterie IC3 / Bullet 5 mm avec fils de 2', Smart 2S	Adattatore: IC3 Batteria / 5 mm cilindrico 2' Smart 2S
TEP0013	MX10 Gen 2 200 Amp ESC	MX10 Gen 2 200 Amp ESC	Variateur ESC 200 A MX10 Gen 2	MX10 Gen 2 200 A ESC
TLR-1080	HD Turnbuckle Kit, Titanium: 22X	Gewindestangenset Titan: 22X	22X - Set de biellettes en titane	HD set tenditori, titanio: 22X
TLR-1083	Rear Arm Set, Narrow, Stiffezel: 22X	Hinterarmset, schmal, Stiffezel: 22X	Ensemble bras arrière, étroit, Stiffezel : 22X	Set braccio posteriore, Stretto, Stiffezel: 22X
TLR-1087	Side Guard Set, Stiffezel: 22X	Seitenschutzset, Stiffezel: 22X	Ensemble protections latérales, Stiffezel : 22X	Set protezioni laterali, Stiffezel: 22X
TLR-1091	Rear Arm Set, Narrow: 22X	Hinterarmset, schmal: 22X	Ensemble de bras arrière, étroit : 22X	Set braccio posteriore, Stretto: 22X
TLR-1093	Rear Arm Set, Stiffezel, V2: 22X-4, 22X	Hinterarmset, Stiffezel, V2: 22X-4, 22X	Ensemble de bras arrière, Stiffezel, V2 : 22X-4, 22X	Set braccio posteriore, Stiffezel, V2: 22X-4, 22X
TLR-1101	Battery Mount Set, Carbon: 22X	Akkuhalterungssatz, Carbon: 22X	Ensemble support de batterie, carbone : 22X	Set supporto batteria, Carbonio: 22X
TLR-1103	Motor Plate, Carbon: 22X	Motorplatte, Carbon: 22X	Plaque moteur, carbone : 22X	Piastra motore, Carbonio: 22X
TLR-1121	Gear Differential Cover, Aluminum: 22X	Getriebe-Differentialabdeckung, Aluminium: 22X	Cache de différentiel à engrenages, aluminium : 22X	Carter differenziale, Alluminio: 22X
TLR-1123	Slipper Adjustment Tool, 5.5mm: 22X	Gleiter-Einstellwerkzeug, 5,5mm: 22X	Outil d'ajustement de sabot, 5,5 mm : 22X	Strumento regolazione antisaltellamento, 5,5 mm: 22X
TLR-1124	Front Arm Set, Standard: 22X	Vorderarmsatz, Standard: 22X	Bras avant, standard : 22X	Set braccio anteriore, Standard: 22X
TLR-1130	Ball Stud, 5.8mm x 12mm, Titanium (2): 22X	Kugelzapfen, 5,8 x 12 mm, Titan (2): 22X	Piton à rotule, 5,8 x 12 mm, titane (2): 22X	Viti a sfera, 5,8 x 12 mm, titanio (2): 22X
TLR-1133	Pivot, Brass: 22X	Zapfenlager, Messing: 22X	Pivot, laiton : 22X	Pivot, Ottone: 22X
TLR-1136	Steering Arm Spacer (4): 22X	Lenkarm-Abstandhalter (4): 22X	Entretoises de bras de direction (4) : 22X	Distanziale braccio di sterzo (4): 22X
TLR-1137	Universal Driveshaft, 68mm (2): 22X	Universal-Antriebswelle 68 mm (2): 22X	Arbre de transmission universelle 68 mm (2) : 22X	Albero di trasmissione universale 68 mm (2): 22X
TLR-1144	Universal Driveshaft, 67mm (2): 22X	Universal-Antriebswelle 67 mm (2): 22X	Arbre de transmission universelle 67 mm (2) : 22X	Albero di trasmissione universale 67 mm (2): 22X
TLR-1146	13mm Kashima Shock Body, 36.5mm, G3, 3mm (1)	13mm Kashima Stoßdämpfergehäuse, 36,5 mm, G3, 3 mm (1)	Corps d'amortisseur Kashima 13 mm, 36,5 mm, G3, 3 mm (1)	Corpo amm. Kashima 13 mm, 36,5 mm, G3, 3 mm (1)
TLR-1152	Universal Driveshaft, 66mm (2): 22X	Universal-Antriebswelle 66 mm (2): 22X	Arbres de transmission universelle, 66 mm (2) : 22X	Albero trasmissione universale, 66 mm (2): 22X
TLR-1158	C Pivot Block, Brass: 22X	C Zapfenlager, Messing: 22X	Bloc pivot C, laiton : 22X	Blocco pivot C, Ottone: 22X
TLR-1159	Ball Stud, 5.8mm x 6mm, Titanium (2): 22X	Kugelzapfen, 5,8 x 6 mm, Titan (2): 22X	Piton à rotule, 5,8 x 6 mm, titane (2): 22X	Viti a sfera, 5,8 x 6 mm, titanio (2): 22X
TLR-1161	Wheel Hex 12mm x 8.0mm (2)	Sechskanrad, 12 mm x 8,0 mm (2)	Hexagones de roues, 12 mm x 8,0 mm (2)	Esagoni ruote, 12 mm x 8,0 mm (2)
TLR-1162	Slipper Eliminator Plates: 22X	Gleiter-Eliminatorplatten: 22X	Plaques de sabots éliminateurs : 22X	Piastre eliminazione slittamento: 22X
TLR-1167	Electronics Tray, Aluminum: 22X	Halterung für Elektronik, Aluminium: 22X	Plateau électronique, aluminium : 22X	Vassoio elettronica, Alluminio: 22X
TLR-1168	Bellcranks, Connecting Link, Aluminum: 22X	Umlenkhebel, Verbindungsstück, Aluminium: 22X	Leviers coudés, tringlerie de connexion, aluminium : 22X	Leve a squadra, Anello di congiunzione, Alluminio: 22X
TLR-1169	Wheel Hex 12mm x 7.0mm (2)	Sechskanrad, 12 mm x 7,0 mm (2)	Hexagones de roues, 12 mm x 7,0 mm (2)	Esagoni ruote, 12 mm x 7,0 mm (2)
TLR-1172	Ball Stud, 5.8mm x 8mm, Titanium (2): 22X	Kugelzapfen, 5,8 x 8 mm, Titan (2): 22X	Piton à rotule, 5,8 x 8 mm, titane (2): 22X	Viti a sfera, 5,8 x 8 mm, titanio (2): 22X
TLR-1175	Slipper Shaft, Titanium: 22X	Gleiterwelle, Titan: 22X	Arbre de sabot, titane : 22X	Albero antisaltellamento, Titanio: 22X
TLR-1176	13mm Kashima Shock Body, 42.0mm, G3, 3mm (1)	13mm Kashima Stoßdämpfergehäuse, 42,0 mm, G3, 3 mm (1)	Corps d'amortisseur Kashima 13 mm, 42,0 mm, G3, 3 mm (1)	Corpo amm. Kashima 13 mm, 42,0 mm, G3, 3 mm (1)
TLR-1177	Shock Standoff, Arm, Titanium (2): 22X	Stoßdämpfer-Standoff, Arm, Titan (2): 22X	Dispositifs d'espacement d'amortisseur, bras, titane (2) : 22X	Distanziale amm., Braccio, Titanio (2): 22X
TLR-1181	Pivot, Aluminum: 22X	Drehgelenk, Aluminium: 22X	Pivot, aluminium : 22X	Pivot, Alluminio: 22X

OPTIONAL PARTS • OPTIONALE TEILE • PIÈCES OPTIONNELLES • PARTI OPZIONALI

Part #	English	Deutsch	Français	Italiano
TLR-1182	Brass Pivot Weight: 22X	Gewicht Drehgelenk Messing: 22X	Poids de pivot, laiton : 22X	Peso pivot ottone: 22X
TLR-1183	Idler Gear, Aluminum (1): 22X	Zwischenrad mit Steckachse (1): 22X	Pignon intermédiaire en aluminium (1): 22X	Ingranaggio intermedio, alluminio (1): 22X
TLR-1184	Spindle, Wide, 6 Deg Incline, Aluminum: 22X	Spindel, breit, 6 Grad Steigung, Aluminium: 22X	Axe, large, inclinaison 6 degrés, aluminium : 22X	Fusello, Largo, Inclinazione 6°, Alluminio: 22X
TLR-1185	Spindle, Wide, 4 Deg Incline, Aluminum: 22X	Spindel, breit, 4 Grad Steigung, Aluminium: 22X	Axe, large, inclinaison 4 degrés, aluminium : 22X	Fusello, Largo, Inclinazione 4°, Alluminio: 22X
TLR-1186	Spindle, Narrow, 6 Deg Incline, Aluminum: 22X	Spindel, schmal ,6 Grad Steigung, Aluminium: 22X	Axe, étroit, inclinaison 6 degrés, aluminium : 22X	Fusello, Stretto, Inclinazione 6°, Alluminio: 22X
TLR-1187	Spindle Bushing Set, Delrin (8): 22X	Spindelwellensatz, Delrin (8): 22X	Ensemble de bagues d'arbre, Delrin (8) : 22X	Set boccole fusello, Delrin (8): 22X
TLR-1195	Spindle, Wide, 8 Deg Incline, Aluminum: 22X	Spindel, breit, 8 Grad Steigung, Aluminium: 22X	Axe, large, inclinaison 8 degrés, aluminium : 22X	Fusello, Largo, Inclinazione 8°, Alluminio: 22X
TLR-1196	Spindle, Narrow, 4 Deg Incline, Aluminum: 22X	Spindel, schmal ,4 Grad Steigung, Aluminium: 22X	Axe, étroit, inclinaison 4 degrés, aluminium : 22X	Fusello, Stretto, Inclinazione 4°, Alluminio: 22X
TLR-1197	Spindle, Narrow, 2 Deg Incline, Aluminum: 22X	Spindel, schmal ,2 Grad Steigung, Aluminium: 22X	Axe, étroit, inclinaison 2 degrés, aluminium : 22X	Fusello, Stretto, Inclinazione 2°, Alluminio: 22X
TLR-1198	Spindle, Wide, 2 Deg Incline, Aluminum: 22X	Spindel, breit, 2 Grad Steigung, Aluminium: 22X	Axe, large, inclinaison 2 degrés, aluminium : 22X	Fusello, Largo, Inclinazione 2°, Alluminio: 22X
TLR-1201	Spindle, Narrow, 8 Deg Incline, Aluminum: 22X	Spindel, schmal ,8 Grad Steigung, Aluminium: 22X	Axe, étroit, inclinaison 8 degrés, aluminium : 22X	Fusello, Stretto, Inclinazione 8°, Alluminio: 22X
TLR-1210	Complete Gear Diff: 22X	Komplettes Getriebe Differential: 22X	Engrenage différentiel complet : 22X	Differenziale completo: 22X
TLR232111	Wheel Hex, 12mm x 4.0mm (2)	Sechskantrad, 12 mm x 4,0 mm (2)	Hexagones de roues, 12 mm x 4,0 mm (2)	Esagoni ruote, 12 mm x 4,0 mm (2)
TLR232113	Wheel Hex, 12mm x 5.0mm (2)	Sechskantrad, 12 mm x 4,0 mm (2)	Hexagones de roues, 12 mm x 4,0 mm (2)	Esagoni ruote, 12 mm x 4,0 mm (2)
TLR232114	Wheel Hex, 12mm x 5.5mm (2)	Sechskantrad, 12 mm x 4,0 mm (2)	Hexagones de roues, 12 mm x 4,0 mm (2)	Esagoni ruote, 12 mm x 4,0 mm (2)
TLR232115	Wheel Hex, 12mm x 6.0mm (2)	Sechskantrad, 12 mm x 4,0 mm (2)	Hexagones de roues, 12 mm x 4,0 mm (2)	Esagoni ruote, 12 mm x 4,0 mm (2)
TLR2950	Hex Differential Wrench, Aluminum: 22	Diff Einstellschlüssel, Aluminium: 22	22 - Clé hexagonale pour différentiel	Chiave esagonale differenziale, alluminio: 22
TLR331037	Carbon Wing Washer (2): 22 5.0	Tragflächen-Unterlegscheibe, Karbon (2): 22 5.0	Rondelle d'aile en carbone (2) : 22 5.0	Rondella ala carbonio (2): 22 5.0
TLR331045	Brass Battery Weight Set, 19g, 26g, 37g	Messing-Akku Gewicht, Satz, 19 g, 26 g, 37 g	Ensemble de poids de la batterie en laiton, 19 g, 26 g, 37 g	Peso batteria ottone, 19, 26, 37 g
TLR332047	Direct Drive Spur Gear, 69T, 48P	Zahnradatz Direktantrieb , 69T, 48P	Couronne entraînement direct, 69T, 48P	Corona Principale Diretta, 69T. 48P
TLR332048	Direct Drive Spur Gear, 72T, 48P	Zahnradatz Direktantrieb , 72T, 48P	Couronne entraînement direct, 72T, 48P	Corona Principale Diretta, 72T. 48P
TLR332049	Direct Drive Spur Gear, 75T, 48P	Zahnradatz Direktantrieb , 75T, 48P	Couronne entraînement direct, 75T, 48P	Corona Principale Diretta, 75T. 48P
TLR333021	Domed Bleeder Shock Caps, Aluminum, G3 (2): 22	Gewölbte Stoßdämpfer-Entlüfterkappen, Aluminium, G3 (2): 22	Capuchons d'amortisseurs avec purgeurs en dôme, aluminium, G3 (2) : 22	Tappi di sfiato a cupola per amm, alu, G3 (2): 22
TLR334071	VHA Hub Body Set, Aluminum, Black: 22 5.0	VHA Nabengehäusesatz, Aluminium, Schwarz: 22 5.0	Ensemble corps de moyeu VHA, aluminium, noir : 22 5.0	Set corpo mozzo VHA, Alluminio, Nero: 22 5.0
TLR99102	Turnbuckle Wrench, 22,8B, 8T	Stellschlüssel für Gewindestift, 3.5, 4, 5mm	Clé à biellettes 3.5mm, 4mm, 5mm	Chiave per tenditore